



SAFETY HEALTH AND  
ENVIRONMENTAL AFFAIRS

MAY 06 1993

ORIGINAL

# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: NALCO 2536 CORROSION INHIBITOR

DESCRIPTION: An aqueous solution of nitrite based corrosion inhibitors

NFPA 704M/HMIS RATING: 2/2 HEALTH 0/0 FLAMMABILITY 0/0 REACTIVITY 0 OTHER  
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

## SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation has identified the following chemical ingredient(s) as hazardous under OSHA's Hazard Communication Rule, 29 CFR 1910.1200. Consult Section 14 for the nature of the hazard(s).

| INGREDIENT(S)      | CAS #     | APPROX. % |
|--------------------|-----------|-----------|
| Sodium nitrite     | 7632-00-0 | 1-5       |
| Sodium tetraborate | 1330-43-4 | 5-10      |

## SECTION 3 PRECAUTIONARY LABEL INFORMATION

CAUTION: May be harmful if swallowed. May cause irritation to skin and eyes. Avoid contact with eyes, and prolonged or repeated contact with skin. Do not take internally.

Empty containers may contain residual product. Do not reuse container unless properly reconditioned.

## SECTION 4 FIRST AID INFORMATION

EYES: Flush with water for 15 minutes.  
SKIN: Flush with water for 15 minutes.  
INGESTION: Induce vomiting. Give water. Call a physician.  
INHALATION: Remove to fresh air. Treat symptoms. Call a physician.

NOTE TO PHYSICIAN: Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.

## SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin

EYE CONTACT: Can cause mild, short-lasting irritation.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 5 HEALTH EFFECTS INFORMATION

( CONTINUED )

SKIN CONTACT: Can cause mild, short-lasting irritation. Can cause allergic contact dermatitis in susceptible individuals.  
INGESTION: Can cause kidney damage. Can be harmful or fatal.

### SYMPTOMS OF EXPOSURE:

CHRONIC: Sodium nitrite causes formation of methaemoglobinaemia leading to cyanosis and possibly death if ingested. Repeated ingestion of small amounts causes blood pressure to drop, rapid pulse, headaches, and visual disturbances. Can cause central nervous system effects e.g. headaches, tremors, drowsiness and convulsions.

AGGRAVATION OF EXISTING CONDITIONS: Sodium nitrite. Pregnant women are particularly sensitive to methaemoglobinaemia.

## SECTION 6 TOXICOLOGY INFORMATION

ACUTE TOXICITY STUDIES: Acute toxicity studies have been conducted on this product. The results are shown below.

ACUTE ORAL TOXICITY (ALBINO RATS): LD50 = 3,703 mg/kg

95% Confidence Limit = 2,604 - 5265 mg/kg

ACUTE DERMAL TOXICITY (ALBINO RABBITS): LD50 = Greater than 3,038 mg/kg

COMMENTS: No pharmacotoxic symptoms were exhibited by the rabbits. Pathological examination showed no gross alterations.

PRIMARY SKIN IRRITATION TEST (ALBINO RABBITS):

SKIN IRRITATION INDEX DRAIZE RATING: 0.4/8.0 Minimal irritation

PRIMARY EYE IRRITATION TEST (ALBINO RABBITS):

EYE IRRITATION INDEX DRAIZE RATING: 6.0/110.0 Mild irritation

COMMENTS: The conjunctiva showed redness through 72 hours. Afterwards, no redness or swelling was noted. No iridial nor corneal involvement was noted. Seven days after exposure no irritation was noted.

CHRONIC TOXICITY RESULTS: Experimental animal studies with sodium nitrite have shown reproductive effects in the offspring of the treated parents. These effects are non-transmissible. Tumorigenic data is equivocal. Mutation studies in bacterial assays have been positive.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

|                       |                           |                      |
|-----------------------|---------------------------|----------------------|
| COLOR: Purple to blue | FORM: Liquid              | ODOR: Slightly sweet |
| DENSITY:              | 9.3-9.5 lbs/gal.          |                      |
| SOLUBILITY IN WATER:  | Completely                |                      |
| SPECIFIC GRAVITY:     | 1.12-1.14 @ 60 Degrees F  | ASTM D-1298          |
| pH (NEAT) =           | 11.5-12.0                 | ASTM E-70            |
| FREEZE POINT:         | 22 Degrees F              | ASTM D-1177          |
| BOILING POINT:        | 200 Degrees F @ 760 mm Hg | ASTM D-86            |
| FLASH POINT:          | None (PMCC)               | ASTM D-93            |

NOTE: These physical properties are typical values for this product.

## SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: None (PMCC) ASTM D-93

EXTINGUISHING MEDIA: Not applicable

UNUSUAL FIRE AND EXPLOSION HAZARD: May evolve NOx under fire conditions.

## SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: N-nitrosamines, many are cancer causing agents to laboratory animals, may be formed when certain amines are mixed with nitrous acid, organic or inorganic nitrites or atmospheres with high nitrous oxide concentrations.

Avoid contact with strong acids (eg. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) which can generate heat, splattering or boiling and the release of toxic fumes.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO2, NOx, SOx may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

## SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: Respiratory protection is not normally needed since the volatility and toxicity are low. If significant vapors, mists or aerosols are generated, wear a NIOSH approved or equivalent respirator.

For large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a pressure-demand, self-contained breathing apparatus is recommended.

VENTILATION: General ventilation is recommended.



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 10 PERSONAL PROTECTION EQUIPMENT

( CONTINUED )

**PROTECTIVE EQUIPMENT:** Use impermeable gloves and chemical splash goggles when attaching feeding equipment, doing maintenance or handling product. Examples of impermeable gloves available on the market are neoprene, nitrile, PVC, natural rubber, viton, and butyl (compatibility studies have not been performed).

The availability of an eye wash fountain and safety shower is recommended.

If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

## SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (708-920-1510)

### SPILL CONTROL AND RECOVERY:

**Small liquid spills:** Contain with absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal. Refer to CERCLA in Section 14.

**Large liquid spills:** Dike to prevent further movement and reclaim into recovery or salvage drums or tank truck for disposal. Refer to CERCLA in Section 14.

**DISPOSAL:** If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, (i.e. D001 through D017) nor is it listed under Subpart D.

As a non-hazardous liquid waste, it should be solidified with stabilizing agents (such as sand, fly ash, or cement) so that no free liquid remains before disposal to an industrial waste landfill. A non-hazardous liquid waste can also be deep-well injected in accordance with local, state and federal regulations.

## SECTION 12 ENVIRONMENTAL INFORMATION

### AQUATIC DATA:

96 hour static acute LC50 to Bluegill Sunfish = Greater than 1,000 ppm

96 hour static acute LC50 to Rainbow Trout = 980 - 1,100 ppm



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 12 ENVIRONMENTAL INFORMATION

( CONTINUED )

TOXICITY RATING: Essentially non-toxic

If released into the environment, see CERCLA in Section 14.

## SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
ORM-E NA 9188

CONTAINS - SODIUM NITRITE

## SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.

### FEDERAL REGULATIONS:

OSHA'S HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following ingredients in this product are hazardous and the reasons are shown below.

Sodium nitrite - Systemic effects

Sodium tetraborate = TWA 1 mg/m<sup>3</sup> ACGIH/TLV

Sodium tetraborate = TWA 1 mg/m<sup>3</sup> OSHA/PEL

CERCLA/SUPERFUND, 40 CFR 117, 302:

This product contains sodium nitrite, a Reportable Quantity (RQ) substance and if 2,000 pounds of product are released, it requires notification to the NATIONAL RESPONSE CENTER, WASHINGTON, D. C. (1-800-424-8802).

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986  
(TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):  
Our hazard evaluation has found this product to be hazardous. The product should be reported under the following EPA hazard categories:

XX Immediate (acute) health hazard



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 14 REGULATORY INFORMATION

( CONTINUED )

XX Delayed (chronic) health hazard  
-- Fire hazard  
-- Sudden release of pressure hazard  
-- Reactive hazard

### SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product does not contain ingredients (at a level of 1% or greater) on the List of Toxic Chemicals.

### TOXIC SUBSTANCES CONTROL ACT (TSCA):

The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D:  
Consult Section 11 for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15  
(formerly Sec. 307), 40 CFR 116 (formerly Sec. 311):

This product contains the following ingredient covered by the Clean Water Act:

Sodium nitrite - Section 311

CLEAN AIR ACT, Sec. 111 (40 CFR 60), Sec. 112 (40 CFR 61, 1990 Amendments):  
This product does not contain ingredients covered by the Clean Air Act.

### STATE REGULATIONS:

#### CALIFORNIA PROPOSITION 65:

This product does not contain any chemicals which require warning under California Proposition 65.

#### MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

### STATE RIGHT TO KNOW LAWS:

The following ingredient(s) are disclosed for compliance with State Right To Know Laws:

|                    |              |
|--------------------|--------------|
| Inorganic solvent  | Trade secret |
| Silicate           | Trade secret |
| Sodium nitrite     | 7632-00-0    |
| Sodium tetraborate | 1330-43-4    |



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 14 REGULATORY INFORMATION

( CONTINUED )

### INTERNATIONAL REGULATIONS:

This is a WHMIS controlled product under The House of Commons of Canada Bill C-70 (Class D2B). The product contains the following substance(s), from the Ingredient Disclosure List or has been evaluated based on its toxicological properties, to contain the following hazardous ingredient(s):

| Chemical Name      | CAS #     | % Concentration Range |
|--------------------|-----------|-----------------------|
| Sodium nitrite     | 7632-00-0 | 1-5                   |
| Sodium tetraborate | 1330-43-4 | 5-10                  |

## SECTION 15 ADDITIONAL INFORMATION

None

## SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

## SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Admur, M. O., eds., Macmillan Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for



# MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 2536 CORROSION INHIBITOR

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

## SECTION 17 BIBLIOGRAPHY

( CONTINUED )

Research on Cancer, 1972-1977.

PATTY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 07/10/91

DATE PRINTED: 04/29/93